

PRODUCT  
CATALOG



**MONALISA TILES**







MONALISA TILES



# SUPER STONE

2400\*1200\*8.5 mm





DB 8301 M\* | DBP 8601 CM\*  
Glazed Matte | Glazed Polished

DB 8302 M\* | DBP 8602 CM\*  
Glazed Matte | Glazed Polished



DB 8350 M\* | DBP 8650 CM\*  
Glazed Matte | Glazed Polished

DB 8351 M\*  
Glazed Matte



DB 8352 M\*  
Glazed Matte

DB 8355 M\*  
Glazed Matte



DB 8356 M\*  
Glazed Matte

DBP 8653 CM\*  
Glazed Polished

Recommended Application :



THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
8.5	1	2.88	58

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

SUPER STONE - 2400\*1200\*13.5 mm



DB 13310 M\*

Glazed Matte



DB 13311 M\*

Glazed Matte



DB 13312 M\*

Glazed Matte



DB 13313 M\*

Glazed Matte



DB 13316 M\*

Glazed Matte



DB 13317 M\*

Glazed Matte



DB 13319 M\*

Glazed Matte



Recommended Application :



Residential



Commercial




Facade



Wall



Floor



Heavy Traffic

Light Traffic

| THICKNESS (mm) | PCS/BOX | M<sup>2</sup>/BOX | KG/BOX |

13.5 1 2.88 90

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.



## SUPER STONE - 2400\*1200\*13.5 mm



DBP 13603 CM\*  
Glazed Polished



DBP 13605 CM\*  
Glazed Polished



DBP 13611 CM\*  
Glazed Polished

Recommended Application :



Residential



Commercial



Facade



Wall



Floor

●● Heavy Traffic  
● Light Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
13.5	1	2.88	90

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

## SUPER STONE - 2400\*1200\*5.5 mm



CBP 5521 CM\*  
Glazed Polished



CB 5379 M\*  
Glazed Matte

Recommended Application :



Residential



Commercial



Facade



Wall



Floor

●● Heavy Traffic  
● Light Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
5.5	2	5.76	76

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

# SUPER STONE - 1800\*900\*10.5 mm



FMX 0103 PCM  
Glazed Polished



FMY 3101 PCM  
Glazed Polished



FMY 3131 PCM  
Glazed Polished



FMY 3132 PCM  
Glazed Polished



FMY 3133 PCM  
Glazed Polished



FMY 3136 PCM  
Glazed Polished



FMY 3137 PCM  
Glazed Polished



Recommended Application :



Residential



Commercial



Facade



Wall



Floor

●● Heavy Traffic  
● Light Traffic

| THICKNESS (mm) | PCS/BOX | M<sup>2</sup>/BOX | KG/BOX |

10.5

1

1.62

40

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.





# LAMINATED TILES

1800\*900\*5.5 mm



CB 5001 PM - CRESENT WHITE  
*Glazed Polished*



CB 5003 PM - AUTUMN YELLOW\*  
*Glazed Polished*



CB 5004 PM - PLATEAU RED\*  
*Glazed Polished*



CB 5007 PM - INDIAN GREY  
*Glazed Polished*



CBP 5008 CM | CB 5008 M  
AFRICA BLACK  
*Glazed Polished | Glazed Matte*



CBP 5009 CM | CB 5009 M, PM  
AESTHETIC WHITE  
*Glazed Polished | Glazed Matte, Glazed Polished*



CB 5918 M - CEMENTO  
*Glazed Matte*



CBP 5101 CM - BEIGE CLOUDS\*  
*Glazed Polished*

Recommended Application :



THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
5.5	3	4.86	66

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

# LAMINATED TILES - 1800\*900\*5.5 mm



CBP 5521 CM\*  
Glazed Polished



CBP 5630 CM - LACQUER LIGHT\*  
Glazed Polished



CBP 5637 CM\*  
Glazed Polished



CBP 5652 CM - RIVER ONYX  
Glazed Polished



CBP 5657 CM - WHITE JADE  
Glazed Polished



CBP 5658 CM - MARMARA EQUATOR  
Glazed Polished



CBP 5660 CM - ARISTON\*  
Glazed Polished



CBP 5662 CM - STATUARIO  
Glazed Polished

Recommended Application :



Residential



Commercial



Facade



Wall



Floor

- Heavy Traffic
- Light Traffic

| THICKNESS (mm) | PCS/BOX | M<sup>2</sup>/BOX | KG/BOX |

5.5


3

4.86

66

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

# LAMINATED TILES - 1800\*900\*5.5 mm



CBP 5668 CM - CALACATTA  
Glazed Polished



CBP 5671 CM  
Glazed Polished



CBP 5672 CM  
Glazed Polished



CBP 5673 CM  
Glazed Polished



Recommended Application :



Residential



Commercial



Facade



Wall



Floor

●● Heavy Traffic  
● Light Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
5.5	3	4.86	66

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.



600\*600 mm



FN 2030 M  
*Matte*



FN 2031 M  
*Matte*



FE 2032 M  
*Matte*



WFP 0005 CM\*  
*Glossy*



WLP 0002 CM  
*Glossy*



WLP 0005 CM  
*Glossy*



WLP 0006 CM  
*Glossy*



WP 109 CM\*  
*Glossy*



WP 168 CM\*  
*Glossy*

Recommended Application :



THICKNESS (mm)	PCS/BOX	M²/BOX	KG/BOX
10	4	1.44	32

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

600\*600 mm



WRMP 0001 CM  
*Glossy*



WRMP 0002 CM  
*Glossy*



XP 001 CM  
*Glossy*



YSDP 0003 CM\*  
*Glossy*



Komodo Airport, Labuan Bajo, NTT

Recommended Application :

  
Residential

  
Commercial

  
Facade

  
Wall

  
Floor

  
Heavy Traffic

THICKNESS (mm)	PCS/BOX	M²/BOX	KG/BOX
10	4	1.44	32

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

800\*800 mm



FMB 1018 PCM  
*Glossy*




WRMP 0002 CM  
*Glossy*



WRMP 0003 CM  
*Glossy*



WLP 0005 CM  
*Glossy*



XP 001 CM  
*Glossy*

Recommended Application :



Residential



Commercial



Facade



Wall



Floor



Heavy Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
9.8 - 10.5	3	1.92	48

1000\*1000 mm



WFP 0005 CM  
*Glossy*



YSDP 0001 CM  
*Glossy*



YSDP 0002 CM  
*Glossy*

Recommended Application :



Residential



Commercial



Facade



Wall



Floor



Heavy Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
12	2	2	56

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.





Ahmad Yani International Airport, Semarang



Ngurah Rai International Airport Domestic, Bali

1200\*600 mm



WLP 0002 CM  
*Glazed Polished*

Recommended Application :

  
Residential

  
Commercial

  
Facade

  
Wall

  
Floor

  
Heavy Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
10.5	2	1.44	36

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.

900\*600 mm



FMS 0022 M  
*Glazed Matte*



FMS 0026 M  
*Matte*



FMS 0029 M  
*Matte*

Recommended Application :

  
Residential

  
Commercial

  
Facade

  
Wall

  
Floor

  
Light Traffic

THICKNESS (mm)	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX
13.5	2	1.08	34

\*Due to the printing process, the colours of the actual products may differ from pictures. For the actual effect please refer to tiles sample.





FMS 0029 M | size : 900\*600\*13,5 mm



